

PROPERTY LOCATED AT: 11 King Street, Biddeford, ME 04005**PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Seasonal N/A ☐ Unknown
☐ Drilled ☐ Dug ☐ Other N/A

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown

Quantity: ☐ Yes ☒ No ☐ Unknown

Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☐ Yes ☒ No

If Yes, Date of most recent test: N/A Are test results available? .. ☐ Yes ☒ No

To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? ☐ Yes ☒ No

If Yes, are test results available? ☐ Yes ☒ No

What steps were taken to remedy the problem? N/A

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: N/A

Installed by: N/A

Date of Installation: N/A

USE: Number of persons currently using system: N/A

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: Public water

Source of Section I information: Seller and public information

Buyer Initials _____

Page 1 of 8

Seller Initials MT

PROPERTY LOCATED AT: 11 King Street, Biddeford, ME 04005

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Quasi-Public ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ☐ Yes ☒ No

If Yes, what results: N/A

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☒ No

What steps were taken to remedy the problem? N/A

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☐ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: N/A

Tank Size: ☐ 500 Gallon ☐ 1000 Gallon ☐ Unknown ☐ Other: N/A

Tank Type: ☐ Concrete ☐ Metal ☐ Unknown ☐ Other: N/A

Location: N/A OR ☐ Unknown

Date installed: N/A Date last pumped: N/A Name of pumping company: N/A

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem: N/A

Date of last servicing of tank: N/A Name of company servicing tank: N/A

Leach Field: ☐ Yes ☒ No ☐ Unknown

If Yes, Location: N/A

Date of installation of leach field: N/A Installed by: N/A

Date of last servicing of leach field: N/A Company servicing leach field: N/A

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: N/A

Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☒ No

If Yes, are they available? ☐ Yes ☒ No

Is System located in a Shoreland Zone? ☐ Yes ☒ No ☐ Unknown

Comments: Public sewee

Source of Section II information: Seller and public information

Buyer Initials _____

Page 2 of 8

Seller Initials

DS
Mt

PROPERTY LOCATED AT: 11 King Street, Biddeford, ME 04005

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	FHW			
Age of system(s) or source(s)	20+/- years			
TYPE(S) of Fuel	Oil			
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	~ \$ 5200/ yr.			
Name of company that services system(s) or source(s)	Charlies Heating			
Date of most recent service call	Annual Service			
Malfunctions per system(s) or source(s) within past 2 years	none			
Other pertinent information	Loop system separate zones			

Are there fuel supply lines? ☒ Yes ☐ No ☐ Unknown

Are any buried? ☒ Yes ☐ No ☐ Unknown

Are all sleeved? ☒ Yes ☐ No ☐ Unknown

Chimney(s): ☒ Yes ☐ No

If Yes, are they lined: ☒ Yes ☐ No ☐ Unknown

Is more than one heat source vented through one flue? ☐ Yes ☒ No ☐ Unknown

Had a chimney fire: ☐ Yes ☒ No ☐ Unknown

Has chimney(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: N/A

Date chimney(s) last cleaned: Unknown

Direct/Power Vent(s): ☐ Yes ☒ No ☐ Unknown

Has vent(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: N/A

Comments: NoneSource of Section III information: Seller**SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☐ No ☒ Unknown

If Yes, are tanks in current use? ☐ Yes ☐ No ☒ Unknown

If no longer in use, how long have they been out of service? N/A

If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☒ Unknown

Are tanks registered with DEP? ☐ Yes ☐ No ☒ Unknown

Age of tank(s): N/A Size of tank(s): N/A

Location: N/A

Buyer Initials _____

Page 3 of 8

Seller Initials MT

PROPERTY LOCATED AT: 11 King Street, Biddeford, ME 04005

What materials are, or were, stored in the tank(s)? N/A

Have you experienced any problems such as leakage: ☐ Yes ☐ No ☒ Unknown

Comments: Seller is not aware of any underground storage tanks on property

Source of information: Seller

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ☐ Yes ☐ No ☒ Unknown

In the ceilings? ☐ Yes ☐ No ☒ Unknown

In the siding? ☐ Yes ☐ No ☒ Unknown

In the roofing shingles? ☐ Yes ☐ No ☒ Unknown

In flooring tiles? ☐ Yes ☐ No ☒ Unknown

Other: N/A ☐ Yes ☐ No ☒ Unknown

Comments: Seller is not aware of any asbestos on property

Source of information: Seller

C. RADON/AIR - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: N/A By: N/A

Results: N/A

If applicable, what remedial steps were taken? N/A

Has the property been tested since remedial steps? ☐ Yes ☒ No ☐ Unknown

Are test results available? ☐ Yes ☒ No

Results/Comments: Seller is not aware of any radon in air on property

Source of information: Seller

D. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: N/A By: N/A

Results: N/A

If applicable, what remedial steps were taken? N/A

Has the property been tested since remedial steps? ☐ Yes ☒ No ☐ Unknown

Are test results available? ☐ Yes ☒ No

Results/Comments: Seller is not aware of any radon in water on property

Source of information: Seller

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☐ No ☒ Unknown

Comments: Seller is not aware of any methamphetamine on property

Source of information: Seller

Buyer Initials _____

Page 4 of 8

Seller Initials

^{DS}
MT

PROPERTY LOCATED AT: 11 King Street, Biddeford, ME 04005

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?

..... Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

If Yes, describe location and basis for determination: Built in 1920

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: Lead abatement done on property

Are you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ No

Comments: Seller is not aware of any lead paint on property currently

Source of information: Seller

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☐ No ☒ Unknown

LAND FILL: ☐ Yes ☐ No ☒ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☐ No ☒ Unknown

Other: N/A

Source of information: Seller is not aware of any hazardous materials on property

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Source of information: Seller

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? N/A

Road Association Name (if known): N/A

Source of information: Seller

Buyer Initials _____

Page 5 of 8

Seller Initials

DS
MT

PROPERTY LOCATED AT: 11 King Street, Biddeford, ME 04005

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: N/A

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: N/A

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?
N/A

Relevant Panel Number: 23031C0452G Year: 7/17/2024 (Attach a copy)

Comments: None

Source of Section VI information: Seller and FEMA website

Buyer Initials _____

Page 6 of 8

Seller Initials

DS
MT

PROPERTY LOCATED AT: 11 King Street, Biddeford, ME 04005

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to:
Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Are there any actual or alleged violations of a shoreland zoning ordinance
including those that are imposed by the state or municipality? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water
filtration system, photovoltaics, wind turbines): Type: N/A

Year Principal Structure Built: 1920 What year did Seller acquire property? 1986

Roof: Year Shingles/Other Installed: unknown

Water, moisture or leakage: None

Comments: None

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ Unknown

Water, moisture or leakage since you owned the property: ☐ Yes ☒ No ☐ Unknown

Prior water, moisture or leakage? ☐ Yes ☒ No ☐ Unknown

Comments: None

Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ Unknown

If Yes, are test results available? ☐ Yes ☒ No

Comments: None

Electrical: ☒ Fuses ☒ Circuit Breaker ☐ Other: ☐ Unknown

Comments: New wiring and ground fault breakers

Has all or a portion of the property been surveyed? ☐ Yes ☒ No ☐ Unknown

If Yes, is the survey available? ☐ Yes ☒ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ Unknown

Modular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

☐ Yes ☒ No ☐ Unknown

Comments: Seller is not aware of any hazardous materials from insects or animals on property

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may
have an adverse impact on health/safety: Seller is not aware of any material defects

Comments: None

Source of Section VII information: Seller

Buyer Initials _____

Page 7 of 8

Seller Initials MS

PROPERTY LOCATED AT: 11 King Street, Biddeford, ME 04005

SECTION VIII - ADDITIONAL INFORMATION

New bathroom renovations and vanities and paint throughout; new windows in July 2006

Some new wiring and ground fault breakers installed

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

DocuSigned by:

Michele Trahan

9/9/2025

SELLER

DATE

SELLER

DATE

Michele S. Trahan

SELLER

DATE

SELLER

DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER

DATE

BUYER

DATE

BUYER

DATE

BUYER

DATE

Page 8 of 8



Maine Association of REALTORS®/Copyright © 2025.
All Rights Reserved. Revised September 2024.





Fact Sheet: Arsenic Treated Wood

Department of Health and
Human Services
11 State House Station
Augusta, ME 04333



Maine CDC
Environmental and
Occupational Health Program
Toll Free in Maine: 866-292-3474
Fax: 207-287-3981
TTY: 207-287-8066
Email: ehu@maine.gov

IF YOU WORK WITH CCA WOOD

- NEVER burn CCA wood.
- Wear gloves when handling CCA wood
- Wear a dust mask when sanding or cutting CCA wood
- Don't work with CCA wood in an enclosed area (like a garage)

Apply a coating to seal the wood every 1-2 years

TO LEARN MORE

Eric Frohberg
Environmental and
Occupational Health
Program
Maine CDC
Toll-free in Maine 866-
292-3474
TTY: 207-287-8066
[www.maine.gov/dhhs/
eohp](http://www.maine.gov/dhhs/eohp)

Does Your New Home Have Arsenic (CCA) Treated Wood?

About half of all Maine homes have a deck, or playground or some other structure that is made of wood treated with arsenic. This wood is called "CCA pressure-treated wood" or just "pressure-treated" wood. The wood was treated with arsenic to protect against rot and insects.

Too much arsenic can cause cancer. So it is good to prevent arsenic getting into your body when you can. When you touch wood treated with arsenic, you can get arsenic on your hands. The arsenic on your hands can get into your mouth if you are not careful about washing before eating. Young children are most at risk because they are more likely to put their hands in their mouths. The good news is that there are simple things you can do to protect yourself and your family from arsenic treated wood. This fact sheet will tell you how.



Children touching unsealed treated wood, and then putting their hands in their mouths is the biggest concern.

First: Does your house have arsenic treated (CCA) wood?

When arsenic treated wood is new, it tends to have a greenish tint. When CCA wood is older, it is harder to tell. Ask your realtor if the seller knows whether CCA wood was used. You can also test the wood to find out if it contains arsenic. Call us to find out how.

Second: If so, reduce contact with the arsenic.

You can lower the amount of arsenic on the surface of the wood by applying a coating on the wood every 1-2 years. Oil-based sealants, varnishes, or polyurethane work best for sealing arsenic in the wood. Be sure to wash your children's hands when they finish playing on or near CCA wood.

Third: If you have any questions, call us toll-free in Maine: 866-292-3474

Common Questions

What is CCA wood?

CCA wood is made by dipping the wood in a mixture of chemicals. These chemicals include chromium, copper, and arsenic. This protects the wood against insects and rot. This wood is known as CCA wood or "pressure treated" wood. Most pressure treated wood in the U.S. is CCA wood. After December 31, 2003, no more CCA wood will be made for use around homes. CCA wood may still be sold for home use until April 1, 2004 in the state of Maine.

What is Arsenic?

Arsenic is found in soil and rocks. Most people get a little arsenic every day from the food they eat. Also, some people have arsenic in their private wells, which is why it is important that anyone with a well have it tested for arsenic. People who are exposed to too much arsenic over many years are more likely to get cancer.

MULTI-FAMILY/RENTAL PROPERTY ADDENDUM

To Agreement dated _____, between
Michele S. Trahan _____ (hereinafter "Seller")
 and _____ (hereinafter "Buyer")
 for property located at **11 King Street, Biddeford, ME 04005**

Said Agreement is further subject to the following terms:

Strike any provision(s) that do not apply.

1. Sellers shall provide Buyer with copies of tenants' leases or other rental agreements (hereinafter "leases") within 5 days of Effective Date of this Addendum and Buyer shall have an additional 5 days to examine same. Should Buyer find the leases to be unsatisfactory, Buyer shall so inform Seller in **writing** within the examination period and the Agreement shall become null and void and any deposit shall be returned to Buyer. In the absence of such notification the leases shall be deemed acceptable. Notwithstanding anything in the Agreement to the contrary, Seller agrees to observe and perform all obligations imposed on Seller under such leases and not to alter, modify or change the terms of such leases or to cancel or terminate such leases without the written consent of Buyer.
2. Seller agrees to indemnify and hold Buyer harmless for any damages, liabilities or costs arising from Seller's failure to have complied with the disclosure requirements of the Residential Lead-Based Paint Hazard Reduction Act of 1992, 42 U.S.C., §4852(d) and the radon testing, notification and reporting requirements in 14 M.R.S. §6030-D.
3. Seller shall provide Buyer with a financial accounting of all security deposits, a schedule of current rents and the occupancy and payment status for each unit within 5 days of the Effective Date of the Agreement. Buyer shall have 5 days from receipt to review this information. If any of this information is not satisfactory to Buyer, Buyer may declare the Agreement null and void by notifying Seller in writing within said 5-day period and any earnest money shall be returned to Buyer. Upon transfer of the property, Seller shall provide Buyer with an update of all of the above information and shall provide to each tenant, by mail, notice of the transfer, notice of the Buyer's name and address and a copy of the accounting of the tenant's security deposit as required under 14 M.R.S. §6035.
4. It is agreed that all security deposits shall be payable in full to the Buyer/trustee at transfer of title.
5. Seller represents that there will be no outstanding agreements with tenants regarding repairs to be done by Seller or by tenant against future rent monies at transfer of title, and that no rental income arising under the tenant leases has been or will be collected in advance of the time when it becomes due, except as otherwise acknowledged and agreed to elsewhere in this Agreement.
6. Should a vacancy occur, it is agreed that Seller shall: ☒ be allowed to fill that vacancy using the same criteria presently used by Seller to fill vacancies ☐ leave unit vacant until closing.
7. In the event of a vacancy at time of transfer of the title, any vacant unit shall be free of personal belongings and in broom clean condition.
8. Seller agrees to render the following portion(s) of the building vacant on or before closing: No vacancies

Page 1 of 2

Buyer Initials _____

Seller Initials

DS


For Property Located At: **11 King Street, Biddeford, ME 04005**

9. Buyer's obligations under this Agreement are subject to Buyer, within 5 days of the Effective Date of the Agreement, obtaining satisfactory evidence from the municipality that the property contains 5 legally authorized units. If Buyer is unable to obtain such evidence, Buyer may declare the Agreement null and void by notifying Seller in writing within the specified number of days and any earnest money shall be returned to Buyer. If Buyer does not notify Seller within the time period set forth above, this contingency is waived by Buyer.

The representations and obligations of this Multi-Family Addendum shall survive closing and passage of title to Buyer.

		DocuSigned by:	
		<i>Michele Trahan</i>	
		9/9/2025	
BUYER	DATE	SELLER Michele S. Trahan	DATE
BUYER	DATE	SELLER	DATE
BUYER	DATE	SELLER	DATE
BUYER	DATE	SELLER	DATE



LEAD PAINT DISCLOSURE/ADDENDUMAGREEMENT BETWEEN Michele S. Trahan

(hereinafter "Seller")

AND _____

(hereinafter "Buyer")

FOR PROPERTY LOCATED AT 11 King Street, Biddeford, ME 04005

Said contract is further subject to the following terms:

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure(a) Presence of lead-based paint and/or lead-based paint hazards (**check one below**):

_____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

☒ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the Seller (**check one below**):

_____ Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

☒ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Buyer's Acknowledgment

(c) Buyer has received copies of all information listed above.

(d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

(e) Buyer has (**check one below**):

_____ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

_____ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgment

(f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer	Date	<u>Michele Trahan</u> DocuSigned by: Seller Michele S. Trahan	9/9/2025
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
Agent	Date	Agent <u>Danielle Lape</u>	Date



Maine Association of REALTORS®/Copyright © 2025.
All Rights Reserved. Revised 2023.

King Real Estate, 198 Saco Avenue Old Orchard Beach ME 04064
Danielle Lape

(207)934-7622

(207)934-1566




11 King Listing

National Flood Hazard Layer FIRMette

11 King



70°27'31"W 43°29'41"N



0 250 500 1,000 1,500 2,000 Feet 1:6,000

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

- SPECIAL FLOOD HAZARD AREAS**
- Without Base Flood Elevation (BFE) Zone A, L, Z, V
 - With BFE or Depth Zone AE, AH, VE, AR
 - Regulatory Floodway
 - 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
 - Future Conditions 1% Annual Chance Flood Hazard Zone X
 - Area with Reduced Flood Risk due to Levee. See Notes. Zone X
 - Area with Flood Risk due to Levee Zone D
- OTHER AREAS OF FLOOD HAZARD**
- NO SCREEN Area of Minimal Flood Hazard Zone X
 - Effective LOMRs
 - Area of Undetermined Flood Hazard Zone D
- GENERAL STRUCTURES**
- Channel, Culvert, or Storm Sewer
 - Levee, Dike, or Floodwall
- CROSS SECTIONS**
- 29.2 Cross Sections with 1% Annual Chance Water Surface Elevation
 - 17.8 Coastal Transect
 - Base Flood Elevation Line (BFE)
 - Limit of Study
 - Jurisdiction Boundary
 - Coastal Transect Baseline
 - Profile Baseline
 - Hydrographic Feature
- OTHER FEATURES**
- Digital Data Available
 - No Digital Data Available
 - Unmapped
- MAP PANELS**
- The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/9/2025 at 1:38 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.